

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	((pars\$3 with (document or page or image or picture or file)) same ((recogni\$9 or identif\$7) with (image or picture or graphic\$5) with (person\$7 or employee))) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/05/13 17:33
S2	302	(identify\$3 with (data or information or image or picture) with (person or individual or people)).ab. and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/09/05 08:09
S3	7	(identify\$3 with (data or information or image or picture) with represent\$3 with (person or individual or people)).ab. and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/03 10:52
S4	308	((match\$3 or search\$3 or query\$3 or retriev\$3) with (data or information or image or picture) with (person or individual or people)).ab. and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/03 16:02
S5	82	((((match\$3 or search\$3 or query\$3 or retriev\$3) with (data or information or image or picture) with (person or individual or people)).ab. and (@ad<"20010213"))) and ("707"/\$.ccls. or "709"/\$.ccls. or "715"/\$.ccls.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/03 10:54
S6	37	((match\$3 or search\$3 or query\$3 or retriev\$3) with (data or information or image or picture) with (represent\$3 or identif\$4) with (person or individual or people)).ab. and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/03 10:55
S7	479	((((pars\$3 or scan\$4 or search\$3 or read\$3 or match\$3 or identify\$3) with (document or file or record or data or information or resume)) same (person or people or expert)).ab. and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/04 11:49

S8	32	(((pars\$3 or scan\$4 or search\$3 or read\$3 or match\$3 or identify\$3) with (document or file or record or data or information or resume)) same (person or people or expert)).ab. and (@ad<"20010213")) and "707"/\$. ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/04 11:38
S9	321	(((pars\$3 or scan\$4 or search\$3 or read\$3 or match\$3 or identify\$3) with (document or file or record or data or information or resume)) same ((identify\$3 or represent\$3 or determin\$3 or find\$3 or match\$3 or return\$3) with (person or people or expert or candidate))).ab. and (@ad<"20010213"))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/04 12:08
S10	36	(((pars\$3 or scan\$4 or search\$3 or read\$3 or match\$3 or identify\$3) with (document or file or record or data or information or resume)) same ((identify\$3 or represent\$3 or determin\$3 or find\$3 or match\$3 or return\$3) with (person or people or expert or candidate))).ab. and (@ad<"20010213")) and "707"/\$. ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/04 11:57
S11	547	(((pars\$3 or scan\$4 or search\$3 or read\$3 or match\$3 or identify\$3) with (document or file or record or data or information or resume)) same ((identify\$3 or represent\$3 or determin\$3 or find\$3 or match\$3 or return\$3) with (person or people or expert or candidate))) and (@ad<"20010213")) and "707"/\$. ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/04 16:06
S12	82	((document or file or record or data or information or resume) with (identify\$3 or represent\$3 or match\$3 or return\$3 or determin\$3) with (person or people or expert or candidate or employ\$3 or worker)).ab. and (@ad<"20010213")) and "707"/\$. ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/04 13:26

S13	127	((pars\$3 or scan\$4 or search\$3 or read\$3 or match\$3 or identify\$3) adj5 (document or file or record or data or information or resume) adj5 (identify\$3 or represent\$3 or determin\$3 or find\$3 or match\$3 or return\$3) adj5 (person or people or expert or candidate)) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/29 14:56
S14	12794	(search\$3 or query\$3 or match\$3 or identify\$3 or retriev\$3).ab. and ((audio\$3 or audible or sound\$3 or visual\$3 or visible or image or picture or link) with (alert\$3 or indicat\$4 or return\$3)) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/04 15:52
S15	993	((search\$3 or query\$3 or match\$3 or identify\$3 or retriev\$3).ab. and ((audio\$3 or audible or sound\$3 or visual\$3 or visible or image or picture or link) with (alert\$3 or indicat\$4 or return\$3)) and (@ad<"20010213")) and "707"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/04 15:52
S16	49	((pars\$3 or scan\$4 or search\$3 or read\$3 or match\$3 or identify\$3) with (document or file or record or data or information or resume)) same ((identify\$3 or represent\$3 or determin\$3 or find\$3 or match\$3 or return\$3) with (person or people or expert or candidate))) and ((return\$3 or insert\$3) with (link or (hyper adj link))) and (@ad<"20010213") and "707"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/09/01 19:24
S17	11	(dynamica\$5 with (modify\$3 or chang\$3 or alter\$3 or add\$3 or insert\$3) with profile) and (@ad<"20010213") and "707"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/04 17:08
S18	51	((insert\$3 or add\$3 or associat\$3) with (link or hyperlink or (hyper adj link)) with ((return\$3 or match\$3 or retriev\$3 or find\$3) adj3 (document or file or record or page or profile))) and (@ad<"20010213") and "707"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/04 17:33

S19	485	((modify\$3 or chang\$3 or ((insert\$3 or add\$3) nears (link or hyperlink or ((hyper or hypertext) adj link)))) with (document or page or record or file or look or appearance) with (alert\$3 or indicat\$3 or determin\$3 or signal\$3 or identif\$4) with (match\$3 or find\$3 or return\$3 retriev\$3)) and (@ad<"20010213") and "707"/\$. ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/04 17:51
S20	362	((((insert\$3 or add\$3) nears (link or hyperlink or ((hyper or hypertext) adj link))) with (document or page or record or file or look or appearance) with (alert\$3 or indicat\$3 or determin\$3 or signal\$3 or identif\$4) with (match\$3 or find\$3 or return\$3 retriev\$3)) and (@ad<"20010213") and "707"/\$. ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/04 17:54
S21	254	((associat\$3 or insert\$3 or add\$3 or connect\$3) with (link or hyperlink or hypertextlink or (hyper adj link) or (hypertext adj link)) with (return\$3 or retriev\$3 or find\$3 or match\$3 or display\$3) with (document or record or file or page or field)) and (@ad<"20010213") and "707"/\$. ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/05 14:55
S22	14	((online with (application or service or chat\$4)) or (instant with messenger)).ab. and (@ad<"20010213") and "707"/\$. ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/22 15:13
S23	76	((identify\$3 or indicat\$3 or show\$3 or represent\$3 or return\$3) with (online or availabl\$5) with (person or people or expert or candidate or individual)) and (@ad<"20010213") and "707"/\$. ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/05 15:12

S24	4	((identify\$3 or indicat\$3 or show\$3 or represent\$3 or return\$3 or determin\$3 or updat\$3) with (online or availabl\$5) with (person or people or expert or candidate or individual)) and ((instant or account) with (messag\$3 or messeng\$3)) and (@ad<"20010213") and "707"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/22 15:12
S25	313	((online or instant) with (application or service or chat\$4 or messag\$3 or messang\$3 or messeg\$3 or messeng\$3)).ab. and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/22 15:16
S26	22	((online or instant) with (application or service or chat\$4 or messag\$3 or messang\$3 or messeg\$3 or messeng\$3)).ab. and (@ad<"20010213")) and "707"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/23 18:03
S27	31050	((manag\$7 or organiz\$5) with (file or content)) and (@ad<"22010202")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/22 16:37
S28	4748	((manag\$7 or organiz\$5) with (file or content)) and (@ad<"22010202")) and "707"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/22 16:38
S29	2176	((manag\$7 or organiz\$5) with (file or content)).ab. and (@ad<"22010202")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/22 16:47
S30	677	((manag\$7 or organiz\$5) with (file or content)).ab. and (@ad<"22010202")) and "707"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/22 16:47
S31	1	((manag\$7 or organiz\$5) with (file or content)).ab. and (@ad<"22010202")) and "707"/\$.ccls.) and (album).ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/22 16:46
S32	1426	((manag\$7 or organiz\$5) with (file or content)).ab. and (@ad<"20010202")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/22 16:47
S33	6	((manag\$7 or organiz\$5) with (file or content)).ab. and (@ad<"20010202")) and album and "707"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/22 17:18
S34	2	"6021411"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/22 17:19

S35	1	"6526403"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/22 17:20
S36	1	"6078914".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/22 17:23
S37	1	"5987457".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/22 17:23
S38	1	"6021409".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/22 17:25
S39	1	"6427155".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/22 17:25
S40	1	"5263160".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/22 17:26
S41	2	faber.in. and 705/8.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/22 17:27
S42	4	(((online or instant) with (application or service or chat\$4 or messag\$3 or messang\$3 or messeg\$3 or messeng\$3)).ab. and (@ad<"20010213")) and ((online with status) same (messag\$3 or contact\$3)) and "707"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/03/23 18:09
S43	240	(((pars\$3 or scan\$4 or identify\$3) with (document or file or record or page or resume)) same (((identify\$3 or extract\$3 or determin\$3 or find\$3 or match\$3 or return\$3) with (person\$5 or people or expert or candidate))) and (@ad<"20010213") and "707"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/09/03 14:45
S44	301	(((pars\$3 or scan\$4) with (document or file or record or page or resume)) same (((identify\$3 or extract\$3 or determin\$3 or find\$3 or match\$3 or return\$3) with (person\$5 or people or expert or candidate))) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/09/01 19:34

S45	59	((pars\$3 or scan\$4 or (look\$3 adj for)) with (name or address or phone or data or information) with (represent\$3 or relat\$3 or associat\$3 or identif\$5) with (person\$5 or people or expert\$2 or candidate\$2)) and ((database or file or record) with (person\$5 or people or expert\$2 or candidate\$2)) and (@ad<"20010213") and ("707"/\$.ccls. or "715"/\$.ccls. or "705"/\$.ccls. or "345"/\$.ccls.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/09/01 20:04
S46	107	((pars\$3 or scan\$4 or (look\$3 adj for)) with (name or address or phone or data or information) with (represent\$3 or relat\$3 or associat\$3 or identif\$5) with (person\$5 or people or expert\$2 or candidate\$2)) and (@ad<"20010213") and ("707"/\$.ccls. or "715"/\$.ccls. or "705"/\$.ccls. or "345"/\$.ccls.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/09/01 20:04
S47	163	(pars\$3 with (document or file or record or page or resume or picture or photo)) and ((identify\$3 or extract\$3 or find\$3 or match\$3 or return\$3) with (person\$5 or people or expert or candidate) with (name or data or information)) and (@ad<"20010213") and ("707"/\$.ccls. or "715"/\$.ccls. or "705"/\$.ccls.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/09/03 15:00
S48	4	("6073138".pn. or "5963940".pn. or "5333317".pn. or "5752230".pn. or "6052693".pn. or "5604899".pn.) and pars\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/09/03 15:01
S49	36	((search\$3 or quer\$5) with database with (person\$3 or people)) and ((database with (information or data) with (person\$3 or people)) same ((phone adj number) or (fax adj number) or (social adj security) or (contact adj information) or address)) and (@ad<"20010213") and "707"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/09/03 23:03
S50	44	(instant adj messag\$5) and ((indicat\$3 or determin\$3 or identif\$5) with (online or available) with status) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/09/03 22:25

S51	1	"20020111813"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/04 15:20
S52	32	(link\$3 with person\$3 with name with (information or data or address or contact)) and (@ad<"20010213") and "707"/\$. ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/09/03 23:07
S53	247	((pars\$3 or scan\$4) with (document or file or record or data or information or resume or web or page) with (identify\$3 or represent\$3 or determin\$3 or find\$3 or match\$3 or return\$3) with (person or people or expert or candidate)) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/04 14:40
S54	140	((pars\$3 or scan\$4) with (document or file or record or data or information or resume or web or page) with (identify\$3 or represent\$3 or determin\$3 or find\$3 or match\$3 or return\$3) with (data or inforamtion) with (person or people or expert or candidate)) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/29 15:00
S55	1564	pars\$3 and ((search\$3 or quer\$5 or retriev\$5) with (person or individual or people)) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/09/05 08:40
S56	663	(pars\$3 with (document or page or file or record)) and ((search\$3 or quer\$5 or retriev\$5) with (person or individual or people)) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/09/05 08:40
S57	78	((pars\$3 with (document or page or file or record)) same ((search\$3 or quer\$5 or retriev\$5) with (person or individual or people))) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/09/05 09:21
S58	107	((pars\$3 with (document or page or file or record)) same ((search\$3 or quer\$5 or retriev\$5 or identif\$5) with (person or individual or people))) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/09/05 10:09

S59	3	((pars\$3 with (document or page or file or record or multimedia\$5)) same (picture or photo)) and ((search\$3 or quer\$5 or retriev\$5 or identif\$5 or associat\$3 or determin\$3) with (person or individual or people) with (picture or photo)) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/09/05 10:14
S60	117	((pars\$3 or scan\$5) with (document or page or file or record or multimedia\$5)) same (picture or photo)) and ((search\$3 or quer\$5 or retriev\$5 or identif\$5 or associat\$3 or determin\$3) with (person or individual or people) with (picture or photo)) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/09/05 10:15
S61	29	((pars\$3 or scan\$5) with (document or page or file or record or multimedia\$5)) same (picture or photo)) and ((search\$3 or quer\$5 or retriev\$5 or identif\$5 or associat\$3 or determin\$3) with (person or individual or people) with (picture or photo)) and (@ad<"20010213") and ((divid\$5 or break\$3) with (document or page or file or record or multimedia\$5 or photo or picture))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/09/05 10:16
S62	830	((search\$3 or quer\$5 or retriev\$3) with (person\$5 or employee\$3 or expert\$3) with (information\$5 or email or location or address)) same (email\$3 or (e adj mail) or call\$3 or messag\$3)) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/14 10:25
S63	326	((search\$3 or quer\$5 or retriev\$3) with (person\$5 or employee\$3 or expert\$3) with (information\$5 or email or location or address)) same ((email\$3 or (e adj mail) or call\$3 or messag\$3) with (person or employee or custom\$3))) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/14 10:26

S64	65	((search\$3 or quer\$5 or retriev\$3) with (person\$5 or employee\$3 or expert\$3) with (email or message or mail or communication or instant) with (location or address)) same ((email\$3 or (e adj mail) or call\$3 or messag\$3) with (person or employee or custom\$3))) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/14 14:28
S65	13	((pars\$3 with (document or page or email or (e adj mail) or message)) same ((extract\$3 or identif\$7 or find\$3 or locat\$3) with (name or number or address or email or message) with (person\$5 or employee or expert or consumer))) and ((contact\$3 or communicat\$5 or email\$5 or (send\$3 near3 (email or message))) with (person\$5 or employee or expert or consumer)) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/14 14:47
S66	20	((pars\$3 with web with page) same ((extract\$3 or identif\$5 or highlight\$5 or locat\$3 or find\$5) with (name or person\$3 or employee or expert or consumer))) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/14 14:54
S67	36	((pars\$3 with (web or display\$5) with (page or document or record or spreadsheet or file)) same ((extract\$3 or identif\$5 or highlight\$5 or locat\$3 or find\$5) with (name or person\$3 or employee or expert or consumer))) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/14 15:12
S68	11	((pars\$3 with (web or display\$5) with (page or document or record or spreadsheet or file)) same ((extract\$3 or identif\$5 or highlight\$5 or locat\$3 or find\$5) with (email or (e adj mail) or mail))) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/14 17:06
S69	438	(display\$3 with icon) and (send\$3 with (email or (e adj mail)) with (person or employee or user)) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/14 17:07

S70	26	(display\$3 with icon) same (send\$3 with (email or (e adj mail))) with (person or employee or user)) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/14 19:49
S71	13	((pars\$3 with (document or page or image or picture or file)) same ((image or picture or graphic\$5) with (person\$7 or employee))) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/15 10:49
S72	10	((electron\$7 or wel) near3 (document or page)) same ((identif\$7 or pars\$3 or extract\$3 or determin\$3) with (image or picture or graphic\$5) with (person\$7 or employee)) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/14 20:05
S73	199	((audi\$7 or sound) with alert) same ((information or data or result or document or page) with (retrieved or returned or displayed)) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/14 20:20
S74	1	((audi\$7 or sound) with alert) same ((information or data or result or document or page) with retrieved with (avail\$9 or ready)) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/14 20:43
S75	29	((audi\$7 or sound) with alert) same ((information or data or result or document or page) with retrieved) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/14 20:44
S76	80	((audible or audio\$5 or sound or tone or beep\$3) with (alert\$3 or warn\$3)) same ((information or data or result or document or page) with retrieved) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/14 21:01
S77	64	((audible or audio\$5 or sound or tone or beep\$3) with indicat\$3 with (information or data or result or document or page) with retrieved) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/14 21:01
S84	21	((pars\$3 with (document or page or image or picture or file)) same ((recogni\$9 or identif\$7) with (image or picture or graphic\$5 or text or keyword or term or phrase or name or ssn) with (person\$7 or employee or candidat or individual))) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/05/13 17:34

S85	46	((pars\$3 or scan\$4) with (document or file or record or data or information or resume or web or page or letter or spreadsheet or sheet) with (identify\$3 or represent\$3 or determin\$3 or find\$3 or match\$3 or return\$3 or locat\$3 or highlight\$3) with (((person or people or expert or candidate or employee) near3 (name or identifier or id or number or email or mail)) or (ssn or (social adj security adj number)))) and (@ad<"20010213")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/04 14:45
-----	----	---	--------------------------------	----	----	------------------